

Race-developed, but beginner-friendly motocross.

With a range of race-developed features, including a disc front brake, tough lightweight bodywork and long-travel front and rear suspension, the TT-R125LW and the electric start TT-R125LW/E are the next step up from our mid-sized TT-R110E.

For impressive and powerful performance that younger riders will enjoy, the 125 cc air-cooled, 4-stroke single-cylinder engine is rugged and easy to maintain.

With 180 mm suspension travel at the front and 168 mm at the rear, the TT-R125LW/E can take on tough terrain, and like all the TT-R models, from 50cc to 125cc, Yamaha quality and reliability come as standard.

- ▶ Top-of-the-range 125cc 4-stroke off-road fun bike
- ▶ Perfect for teenagers looking for off-road fun
- ▶ Manual 5-speed gearbox
- ▶ Stylish racing-blue motocross-style bodywork
- ▶ Electric start on the TT-R125LW/E
- ▶ Long-travel front and rear suspension



TT-R125LW/E

www.yamaha-motor.eu

***Yamaha junior bikes:
start the way you
mean to continue***

See the smile on your child's face after they've been riding their TT-R junior bike and you'll know that you made the right decision investing in a Yamaha.

Today's kids are often accused of spending too much time playing on their computer, but once they have ridden a Yamaha off-road bike they will soon realise there's more to life than a games console. Our latest TT-R line-up features a manual 5-speed 125, and a 110 and a 50 with an automatic clutch. Each of them is designed to bring many hours of family fun.

Every bike has the same high levels of quality, reliability and durability that have made Yamaha one of the leading names in motorcycling

125 cc 4-stroke engine with 5-speed gearbox

Driven by a 125 cc 4-stroke engine, the TT-R125LW/E models deliver plenty of smooth power for spirited off-road riding. Being air-cooled, this punchy little engine is relatively simple to maintain, and with a 5-speed gearbox and manual clutch, both models prepare the rider for the day when they move up to a full-sized motorcycle.

Rugged long-travel front and rear suspension

Check out the compact steel frame and rugged suspension systems and you can see that this is a seriously capable off-road motorcycle. The sturdy front forks offer an impressive 180 mm of wheel travel, while the link-type rear suspension gives 168 mm of movement, allowing the TT-R125LW/E to handle some seriously tough terrain.

Disc front brake and rear drum

To handle the TT-R125LW/E's perky performance, the bike has an efficient 220 mm diameter front disc brake that allows the rider to reduce speed with minimum effort. A 110 mm drum brake delivers smooth stopping power at the rear end, and for good traction the TT-R125LW/E runs on a chunky, 90-section rear tyre.

Light and tough YZ-inspired racing-blue bodywork

The stunning bodywork on the TT-R125LW/E was inspired by our MXGP-winning YZ bikes. Made from specially-developed polypropylene that combines low weight with high strength, the fenders, tank panels and side panels are built to handle some tough treatment. Finished in racing blue, the TT-R125LW/E has a genuine race bike image.

Large-diameter wheels

To complement the rugged chassis and long-travel suspension systems, the TT-R125LW/E models are equipped with a 483 mm (19-inch) diameter front wheel and a 406 mm (16-inch) diameter rear wheel. Their large diameter gives greater ground clearance, and enables the TT-R125LW/E to handle uneven off-road surfaces for a more enjoyable ride.

Rider-friendly performance

The TT-R125LW/E models offer a combination of winning motocross styling and rider-friendly performance, making them ideally suited to younger riders who want to gain valuable off-road experience. With a 5-speed gearbox, large-diameter wheels and YZ-type bodywork, the TT-R125LW and electric-start TT-R125LW/E deliver a real 'big-bike' experience.

Engine

Engine type	2-valves
Displacement	124cc
Bore x stroke	54.0 mm x 54.0 mm
Compression ratio	10.0 : 1
Lubrication system	Wet sump
Carburettor	Mikuni VM16/1
Clutch Type	Wet, Multiple Disc
Ignition system	CDI
Starter system	Kick
Transmission system	Constant Mesh, 5-speed
Final transmission	Chain

Chassis

Frame	Diamond
Front suspension system	Telescopic forks
Front travel	180 mm
Caster Angle	28°
Trail	107 mm
Rear suspension system	Swingarm, (link suspension)
Rear Travel	110 mm
Front brake	Hydraulic Disc, Ø 220 mm
Rear brake	Drum mm
Front tyre	70/100-19 42M
Rear tyre	90/100-16 52M

Dimensions

Overall length	1,885 mm
Overall width	795 mm
Overall height	1,085 mm
Seat height	805 mm
Wheel base	1,270 mm
Minimum ground clearance	295 mm
Wet weight (including full oil and fuel tank)	90 kg
Fuel tank capacity	6.0 litres
Oil tank capacity	1.2 litres



The Yamaha Chain of Quality

Yamaha technicians are fully trained and equipped to offer the best service and advice for your Yamaha product. For this reason, Yamaha strongly recommends visiting an official Yamaha dealer for all your service requirements.

Yamaha Genuine Parts & Accessories are especially developed, designed and tested for our Yamaha product range. Yamaha recommends the use of Yamalube®. Yamalube® is our own range of high-tech lubricants, the lifeblood of Yamaha engines. They are developed to carry on working effectively, no matter where you ride.

Besides functional and style accessories, Yamaha offers a range of high quality, innovative riding gear designed to keep you comfortable and protected. An extensive range of casual wear is also available. For more information go to:

www.yamaha-motor-acc.com



Experience more of the
Yamaha TT-R125LW/E with your
mobile

Yamaha Motor Europe
Koolhovenlaan 101
1119 NC Schiphol-Rijk
The Netherlands